

## **Intrauterine Device (IUD) Insertion Checklist**

For full information and pathways, see the <u>Intrauterine Devices</u> and <u>Intrauterine Device Insertion</u> pathways.

## Pre-procedure

1	Discuss the benefits, side-effects, risks, suitability, and contraceptive efficacy. Provide <u>patient</u> <u>information on long-acting contraceptive choices</u> . Offer all options.	
2	Discuss cost and funding options.	
3	Check contraindications and cautions for IUD insertion. See the New Zealand Formulary (NZF) for full information: • <u>Copper Intrauterine Device</u> • <u>Intrauterine Progesterone-only Device</u>	
4	Offer a sexually transmitted infection (STI) check to all patients. If the patient is at risk of pelvic inflammatory disease (PID), arrange an STI check.	
5	Check the timing of the insertion. Give advice about the need for extra contraceptive precautions and/or a pregnancy test after insertion when appropriate.	
6	Discuss how to avoid being at risk of pregnancy when the patient attends their IUD fitting appointment. Give <u>patient information</u> .	
7	Provide patient information on inserting an IUD or IUS.	
<ul> <li>Procedure appointment</li> <li>8 Discuss again any issues that the patient would like to re-visit or clarify. Give the patient the</li> </ul>		
	opportunity to ask questions.	
9	Manage STI test results, or awaited results, appropriately.	
10	Exclude current pregnancy. If there is a risk of pregnancy do not fit the IUD, except when using a copper IUD for emergency contraception within the permitted time frames from unprotected intercourse.	
11	Obtain informed consent.	
12	<ul> <li>Complete the information section on the back of the patient booklet and advise patient to:</li> <li>check threads after insertion and after their period each month.</li> <li>be aware of 5- or 10-year lifespan of the device.</li> <li>use additional contraception for the next 7 days, if required.</li> </ul>	
13	Give Post-IUD Insertion Information.	
Post–procedure		
14	Complete documentation notifying that the insertion has been done.	

15 Set an appropriate recall date in the patient management system (PMS).

Π